



## S65/75/86M3-T982 Series

- Powered by Android 11.
- Zero-bonding technology, AG glass + Fog type OC for clearer display.
- Smart back light adjusting+DC dimming(de-flickering) for eye protection.
- Split screen, parallel tasks.
- $\pm 1\text{mm}$  high precision IR touch solution.
- WiFi 6, dual band 2.5/5GHz.
- Wireless screen projection.
- Full function USB-type C



**4K**

Resolution

**20 Touches**

Infrared

**50000 Hours**


Life Time



## Specifications

Product Model	S65M3-T982	S75M3-T982	S86M3-T982
<b>Display Parameters</b>			
Display Size	1428.48(H)*803.52(V)mm	1649.664(V)*927.936(V)mm	1895.04(V)*1065.96(V)mm
Pixel Size	0.372(H)*0.372(V)mm	0.430(H)*0.430(V)mm	0.4935(H)mm*0.4935(V) mm
Resolution	3840*2160		
Backlight Type	DLED		
Brightness	360 cd/m2	360 cd/m2	360 cd/m2
Contrast Ratio	4000:1	3000:1	3000:1
Refresh Frequency	60Hz		
Response Time	8ms		
Color Depth	1.07B (10bit)		
Color Gamut	72% NTSC(Typ.)		
View Angle	178°/178°		
Life Time	≥50000h		
<b>Audio System</b>			
Speaker	(8Ω 16W)*2		
Audio Channel	2.0		
<b>Touch Specification</b>			
Touch Technology	Infrared		
Touch Points	20 Touches		
Inductive Object	Finger, Stylus and any other non-transparent objects		
Inductive Size	Diameter≥2mm		
Touch Resolution	32768*32768		
Induction Height	3.5mm		
Touch Accuracy	±1mm (≥90% Touch area)		
Response Time	≤7ms		
Operating Life	More than 60,000,000 clicks		
System Support	Windows 11/10/8/7/ XP/ Android/Linux/Mac OS		
Touch Panel Glass	AG Glass (Thickness:3mm, Hardness:7H)		
<b>Android Specification</b>			
CPU	Quad-Core A55 1.5GHz		
GPU	Mali-G53 MP2		
RAM	4GB		
ROM/FLASH	32GB		
OS.	Android 11.0		
Networks	WiFi 6 (IEEE 802.11 ac/b/g/n/a/ax, 2.4GHz/5GHz) / LAN		

# S65/75/86M3-T982 Series Interactive Flat Panel Datasheet



I/O Port				
Front I/O	USB 3.0	*2		
	HDMI IN	*1		
	TOUCH OUT	*1		
	TYPE-C	*1		
Rear I/O	HDMI IN	*2		
	HDMI OUT	*1		
	USB 2.0	*1		
	USB 3.0	*2		
	TOUCH OUT	*1		
	VGA IN	*1		
	AUDIO IN	*1		
	AUDIO OUT	*1		
	SPDIF	*1		
	RS232	*1		
	RJ45 IN	*1		
RJ45 OUT	*1			
Accessories				
Power Cord		*1		
Stylus		*2		
VESA Mount Brackets		*1(600*400mm)	*1(800*400mm)	*1(800*600mm)
Setscrews		*1(M8*25mm)		
<a href="#">Mobile Floor Stand</a>		<a href="#">(Optional 1)</a>		
<a href="#">Wireless Screen Projection Dongle (for PC)</a>		<a href="#">(Optional 2)</a>		
<a href="#">IR Smart Pen</a>		<a href="#">(Optional 3)</a>		
<a href="#">OPS PC</a>		<a href="#">(Optional 4)</a>		
PC Type		Plug-in Type Intel Core Series Modular PC		
Configuration		i3 / i5/ i7		
OPS Interface		80-PIN		
Others				
Product Size (mm)		1488.4×896.6×87	1709×1020×88	1957×1160×88
Packing Size (CTN/cm)		170×23×107	186×23×115	216×23×134
NW. (Kgs)		36.8	47.6	61.5
GW. (Kgs)		45.4	63.5	79.2
Power Consumption		≤280W	≤320W	≤450W
Standby Power		≤0.5W		
Power Supply		100-240V AC 50/60Hz		
Working Environment		-10°C-50°C @ 10%-90%		
Storage Environment		-20°C-60°C @ 10%-90%		